
HOUSE COMMITTEE AMENDMENTS

2025 Regular Session

Amendments proposed by House Committee on Natural Resources and Environment to Original House Bill No. 615 by Representative Geymann

1 AMENDMENT NO. 1

2 On page 11, line 6, after "constructed" and before ""to come into" delete the comma "," and
3 delete "installed, or operating prior to August 1, 2025," and insert "after September 1, 2024,"

4 AMENDMENT NO. 2

5 On page 11, at the end of line 7, insert "The secretary shall require any solar power
6 generation facility constructed prior to September 1, 2024, to come into compliance with this
7 Section to the extent practicable."

8 AMENDMENT NO. 3

9 On page 11, line 15, after "vegetation, shall" delete the remainder of the line and at the
10 beginning of line 16, delete "evergreen trees to ensure a" and insert "ensure an opaque"

11 AMENDMENT NO. 4

12 On page 11, at the end of line 17, insert "Existing vegetation on-site may be retained
13 undisturbed in satisfaction of the vegetative barrier requirement if it otherwise meets the
14 applicable depth requirement and creates a continuous, opaque visual barrier."

15 AMENDMENT NO. 5

16 On page 12, line 25, after "water bodies," delete the remainder of the line and delete lines
17 26 and 27 in their entirety and insert "a one hundred foot deep vegetative barrier is required."

18 AMENDMENT NO. 6

19 On page 14, line 10, after "constructed" and before ""to come into" delete the comma "," and
20 delete "installed, or operating prior to August 1, 2025," and insert "after September 1, 2024,"

21 AMENDMENT NO. 7

22 On page 14, at the end of line 11, insert "The secretary shall require any solar power
23 generation facility constructed prior to September 1, 2024, to come into compliance with this
24 Section to the extent practicable."