

---

**SENATE FLOOR AMENDMENTS**

2021 Regular Session

Amendments proposed by Senator Mizell to Engrossed Senate Bill No. 185 by Senator Allain

---

1 AMENDMENT NO. 1

2 On page 1, delete line 2 and on line 3 delete "R.S. 30:1154(A)(8)," and insert "To amend and  
3 reenact R.S. 30:1154(A) and (C),"

4 AMENDMENT NO. 2

5 On page 1, line 6, after "leases;" insert "to provide for operations and construction during  
6 rulemaking;"

7 AMENDMENT NO. 3

8 On page 1, delete lines 8 and 9 and insert:

9 "Section 1. R.S. 30:1154(A) and (C) are hereby amended and reenacted to read as  
10 follows:"

11 AMENDMENT NO. 4

12 On page 1, line 17, after "include" insert "**all of**"

13 AMENDMENT NO. 5

14 On page 1, after line 17, insert:

15 "(1) Standards for testing, inspection, certification, sizing, **capacity**, and  
16 installation of solar devices; **including spacing between installations and**  
17 **setbacks.**

18 (2) Provisions for the enforcement of the standards;

19 (3) Accreditation of laboratories to test and certify solar devices;

20 (4) Requirements for on-site inspection of solar devices, including specifying  
21 methods for inspection, to determine compliance or noncompliance with the  
22 standards;

23 (5) Requirements for submission of any data resulting from the testing and  
24 inspection of solar devices;

25 (6) Prohibitions on the sale of solar devices that do not meet minimum  
26 requirements for safety, **capacity**, and durability as established by the secretary; ~~and.~~

27 (7) Dissemination of the results of the testing, inspection, and certification  
28 program to the public."

29 AMENDMENT NO. 6

30 On page 2, delete line 1