

---

**SENATE FLOOR AMENDMENTS**

2024 Regular Session

Amendments proposed by Senator Fields to Engrossed Senate Bill No. 432 by Senator Edmonds

---

1 AMENDMENT NO. 1

2 On page 2, delete lines 20 through 29 and on page 3, delete lines 1 through 16 and insert:

3 **"F. (1) The district shall require the metering and monitoring of every**  
4 **well under the jurisdiction of the board. The district may allow for well owners**  
5 **to directly connect their meters to the district's on-site monitoring system**  
6 **provided that the owner's meter meets the same technical specifications for**  
7 **accuracy as the meters provided by the district within a maximum deviation of**  
8 **less than two percent.**

9 **(2) The owner's meter shall allow for real-time monitoring by the**  
10 **district's monitoring equipment. The district shall prescribe and conduct any**  
11 **audits and quality assurance or quality control programs as determined**  
12 **necessary by the district to assure the validity and accuracy of the collected**  
13 **data.**

14 **(3)(a) Well owners who use their own meters shall provide calibration**  
15 **certificates for each meter from an independent certified laboratory according**  
16 **to the frequency prescribed by the meter manufacturer, but in no case less than**  
17 **every two years.**

18 **(b) The district may install a second meter on an owner's well to verify**  
19 **the accuracy of the owner's meter. If the owner's meter is determined by the**  
20 **district to be inaccurate, the owner shall be required to recalibrate the meter at**  
21 **his expense and the district shall continue to use the district's meter until the**  
22 **owner's meter is capable of meeting the district's accuracy specification**  
23 **standard. If the owner's meter fails, the district may install its own meter at the**  
24 **district's expense as a temporary or permanent replacement."**