

ACT No. 626

2024 Regular Session

HOUSE BILL NO. 642

BY REPRESENTATIVE ORGERON

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23

AN ACT

To amend and reenact the heading of Chapter 1 of Title 50 of the Revised Statutes of 1950 and R.S. 50:1 through 10 and 173.1, to enact R.S. 29:726(B)(17), and to repeal R.S. 50:11, relative to surveying and mapping standards and coordinate systems; to provide for the Governor's Office of Homeland Security and Emergency Preparedness' operations plan; to provide for the restoration of service to Continually Operating Reference Stations; to provide definitions; to establish the state plane coordinate system and official geodetic datums; to define zones for use with the official coordinate system; to update terminology and references to standards for surveying and mapping; to provide for deprecated state coordinate systems; to provide for the use of coordinate system terminology; to provide for the authority of the Department of Transportation and Development; and to provide for related matters.

Be it enacted by the Legislature of Louisiana:

Section 1. R.S. 29:726(B)(17) is hereby enacted to read as follows:

§726. Governor's Office of Homeland Security and Emergency Preparedness; authority and responsibilities

* * *

B. The office shall prepare and maintain a homeland security and state emergency operations plan and keep it current. The plan shall include the following:

* * *

(17) Coordination with the Louisiana State University Center for GeoInformatics, or any successor entity, designated by the National Geodetic Survey

1 (7) "NATRF2022" means the North American Terrestrial Reference Frame
 2 of 2022.

3 (8) "State plane coordinate system" means the system of conformal map
 4 projections created by the National Geodetic Survey to support surveying,
 5 engineering, and mapping activities throughout the United States.

6 (9) "U.S. survey foot" means the length adopted by the United States
 7 government in 1893 to define the unit of measurement equal to 1,200/3,937 meter.

8 (10) "Zone" means a geographic region on the surface of the earth with a
 9 uniquely defined projected coordinate reference system, with extents usually based
 10 on a specified maximum linear distortion magnitude.

11 ~~A. The systems of plane coordinates which have been established by the~~
 12 ~~National Ocean Service/National Geodetic Service, formerly the United States Coast~~
 13 ~~and Geodetic Survey, or its successors for defining and stating the geographic~~
 14 ~~positions or locations of points on the surface of the earth within the state of~~
 15 ~~Louisiana are hereafter to be known and designated as the Louisiana Coordinate~~
 16 ~~System of 1927 and the Louisiana Coordinate System of 1983.~~

17 ~~B. For the purpose of the use of these systems, the state is divided into a~~
 18 ~~North Zone, South Zone, and an Offshore Zone.~~

19 ~~C. The area now included in the following parishes shall constitute the North~~
 20 ~~Zone: Avoyelles, Bienville, Bossier, Caddo, Caldwell, Catahoula, Claiborne,~~
 21 ~~Concordia, DeSoto, East Carroll, Franklin, Grant, Jackson, LaSalle, Lincoln,~~
 22 ~~Madison, Morehouse, Natchitoches, Ouachita, Rapides, Red River, Richland, Sabine,~~
 23 ~~Tensas, Union, Vernon, Webster, West Carroll, and Winn.~~

24 ~~D. The area now included in the following parishes shall constitute the South~~
 25 ~~Zone: Acadia, Allen, Ascension, Assumption, Beauregard, Calcasieu, Cameron, East~~
 26 ~~Baton Rouge, East Feliciana, Evangeline, Iberia, Iberville, Jefferson, Jefferson~~
 27 ~~Davis, Lafayette, Lafourche, Livingston, Orleans, Plaquemine, Pointe Coupee, St.~~
 28 ~~Bernard, St. Charles, St. Helena, St. James, St. John the Baptist, St. Landry, St.~~
 29 ~~Martin, St. Mary, St. Tammany, Tangipahoa, Terrebonne, Vermilion, Washington,~~
 30 ~~West Baton Rouge, and West Feliciana.~~

1 ~~E. The area now included in that area of the Gulf of Mexico defined as being~~
 2 ~~within 200 miles of the state of Louisiana shall constitute the Offshore Zone.~~

3 §2. State plane coordinate system; zones ~~Designation for use in North, South, and~~
 4 ~~Offshore Zones~~

5 A. The official geodetic datums for geodetic coordinates referenced within
 6 the state shall be as defined by the National Spatial Reference System established by
 7 the National Geodetic Survey of the National Oceanic and Atmospheric
 8 Administration, or its successors. ~~As established for use in the North Zone, the~~
 9 ~~Louisiana Coordinate System of 1927 or the Louisiana Coordinate System of 1983~~
 10 ~~shall be named; and in any land description in which it is used, it shall be designated~~
 11 ~~the "Louisiana Coordinate System of 1927 North Zone" or "Louisiana Coordinate~~
 12 ~~System of 1983 North Zone".~~

13 B. The official state plane coordinate system for defining and stating the
 14 positions or locations of points on the surface of the earth within the state is the most
 15 recent version of the state plane coordinate system for Louisiana based on the
 16 National Spatial Reference System established by the National Geodetic Survey and
 17 shall be known as the Louisiana Plane Coordinate System. ~~As established for use~~
 18 ~~in the South Zone, the Louisiana Coordinate System of 1927 or the Louisiana~~
 19 ~~Coordinate System of 1983 shall be named; and in any land description in which it~~
 20 ~~is used, it shall be designated the "Louisiana Coordinate System of 1927 South~~
 21 ~~Zone" or "Louisiana Coordinate System of 1983 South Zone".~~

22 (1) For the purpose of using the Louisiana Plane Coordinate System, the
 23 state is divided into three projection zone layers designated as the North Zone, the
 24 South Zone, and the Statewide Zone, the areas of which are as follows:

25 (a) The area now included in the following parishes shall constitute the
 26 North Zone: Avoyelles, Bienville, Bossier, Caddo, Caldwell, Catahoula, Claiborne,
 27 Concordia, DeSoto, East Carroll, Franklin, Grant, Jackson, LaSalle, Lincoln,
 28 Madison, Morehouse, Natchitoches, Ouachita, Rapides, Red River, Richland, Sabine,
 29 Tensas, Union, Vernon, Webster, West Carroll, and Winn.

1 **(b) The area now included in the following parishes extending to the coastal**
 2 **boundary of Louisiana shall constitute the South Zone: Acadia, Allen, Ascension,**
 3 **Assumption, Beauregard, Calcasieu, Cameron, East Baton Rouge, East Feliciana,**
 4 **Evangeline, Iberia, Iberville, Jefferson, Jefferson Davis, Lafayette, Lafourche,**
 5 **Livingston, Orleans, Plaquemine, Pointe Coupee, St. Bernard, St. Charles, St.**
 6 **Helena, St. James, St. John the Baptist, St. Landry, St. Martin, St. Mary, St.**
 7 **Tammany, Tangipahoa, Terrebonne, Vermilion, Washington, West Baton Rouge,**
 8 **and West Feliciana.**

9 **(c) The area now included in the areas of the North Zone and South Zone**
 10 **shall constitute the Statewide Zone.**

11 **(2) For purposes of defining more precisely the Louisiana Plane Coordinate**
 12 **System, the following definitions are adopted:**

13 **(a) The "Louisiana Plane Coordinate System North Zone" is a Lambert**
 14 **conformal conic projection of the National Spatial Reference System NATRF2022**
 15 **or its successors, having a central parallel at north latitude 31 degrees 54 minutes 00**
 16 **seconds, along which parallel the scale shall be 0.999 93 (exact). The origin of the**
 17 **North Zone is at the intersection of the meridian 92 degrees 30 minutes west**
 18 **longitude and the parallel 31 degrees 54 minutes 00 seconds north latitude. This**
 19 **origin is given the coordinates: x (east) = 495,300 meters and y (north) = 190,500**
 20 **meters.**

21 **(b) The "Louisiana Plane Coordinate System South Zone" is a Lambert**
 22 **conformal conic projection of the National Spatial Reference System NATRF2022**
 23 **or its successors, having a standard parallel at north latitude 30 degrees 00 minutes**
 24 **00 seconds, along which parallel the scale shall be 0.999 93 (exact). The origin of**
 25 **the South Zone is at the intersection of the meridian 91 degrees 30 minutes 00**
 26 **seconds west longitude and the parallel 30 degrees 00 minutes 00 seconds north**
 27 **latitude. This origin is given the coordinates: x (east) = 609,600 meters and y (north)**
 28 **= 190,500 meters.**

1 (c) The "Louisiana Plane Coordinate System Statewide Zone" has statewide
 2 coverage. It is a Hotine Oblique Mercator projection of the National Spatial
 3 Reference System NATRF2022 or its successors, having a north latitude of 31
 4 degrees 00 minutes 00 seconds and a west longitude of 91 degrees 30 minutes, 00
 5 seconds and a skew azimuth of -68 degrees 00 minutes 00 seconds at that point, and
 6 the skew axis scale shall be 0.999 8 (exact). This origin is given the coordinates: x
 7 (east) = 914,400 meters and y (north) = 381,000 meters.

8 C. The provisions of this Section shall not be construed to prohibit the
 9 appropriate use of other datums or geodetic reference networks when required and
 10 appropriate. ~~As established for use in that area of the Gulf of Mexico defined as~~
 11 ~~being within 200 miles of the state of Louisiana, it shall constitute the Offshore~~
 12 ~~Zone.~~

13 §3. Linear units defined ~~Plane coordinates~~

14 A. The plane coordinates used to express the position or location of a point
 15 on the earth's surface within an appropriate plane coordinate system zone shall
 16 consist of two distances which shall be expressed in meters and decimals of a meter
 17 or in feet and decimals of a foot. One of these distances, to be known as the East or
 18 X-coordinate, shall give the distance east of the Y-axis; the other distance, to be
 19 known as the North or Y-coordinate, shall give the distance north of the X-axis. The
 20 Y-axis of any zone shall be parallel with the central meridian of that zone. The
 21 X-axis of any zone shall be at right angles to the central meridian of that zone.

22 B. When the values are expressed in feet, the U.S. survey foot shall be used
 23 as the standard foot for the Louisiana Plane Coordinate System.

24 ~~The plane coordinate values for a point on the earth's surface, used to express~~
 25 ~~the geographic position or location of such point in the appropriate zone of this~~
 26 ~~system, shall consist of two distances expressed in U.S. Survey feet and decimals of~~
 27 ~~a foot when using the Louisiana Coordinate System of 1927 and expressed in meters~~
 28 ~~and decimals of a meter, or the equivalent distance in feet and decimals of a foot,~~
 29 ~~(conversion factor is 3937 divided by 1200), when using the Louisiana Coordinate~~
 30 ~~System of 1983. One of these distances to be known as the "x-coordinate", shall give~~

1 ~~the position in an east and west direction, the other, to be known as the "y-~~
 2 ~~coordinate", shall give the position in a north and south direction. These coordinates~~
 3 ~~shall be made to depend upon and conform to plane rectangular coordinate values~~
 4 ~~for the monumented points of the North American Horizontal Geodetic Control~~
 5 ~~Network as published by the National Ocean Service/National Geodetic Survey, or~~
 6 ~~its successors, and whose plane coordinates have been computed on the systems~~
 7 ~~defined in this Chapter. Any such station may be used for establishing a survey~~
 8 ~~connection to either Louisiana Coordinate System.~~

9 §4. Describing of location

10 For purposes of describing the location of any point in the state of Louisiana,
 11 it shall be considered a complete, legal, and satisfactory description of such location
 12 to give the position of a said survey station or land boundary corner on the system
 13 of plane coordinates defined in this Chapter.

14 §5. Purchaser or mortgagee reliance on description ~~not required to rely on~~
 15 ~~description depending solely on system~~

16 Nothing contained in this Chapter shall require a purchaser or mortgagee to
 17 rely on a description; which depends exclusively upon a particular state plane
 18 coordinate system ~~either Louisiana Coordinate System.~~

19 §6. Land in different zones

20 When any tract of land to be defined by a single description extends from one
 21 zone into another ~~the other of the above coordinate zones~~, the positions of all points
 22 on its boundaries may be referred to either of the two zones, but the zone which is
 23 used shall be ~~being~~ specifically named in the description.

24 §7. Superseded state coordinate systems; definitions retained ~~Louisiana Coordinate~~
 25 ~~System defined~~

26 A. The Louisiana Coordinate System of 1927 was deprecated beginning
 27 December 31, 1995, and the Louisiana Coordinate System of 1983 will be
 28 deprecated upon the National Geodetic Survey's release of the National Spatial
 29 Reference System of 2022. The previously adopted definitions for these deprecated
 30 systems are retained.

1 B. Zones. For these deprecated systems, the state was divided into a North
 2 Zone, a South Zone, and an Offshore Zone as follows:

3 (1) The area now included in the following parishes shall constitute the
 4 North Zone: Avoyelles, Bienville, Bossier, Caddo, Caldwell, Catahoula, Claiborne,
 5 Concordia, DeSoto, East Carroll, Franklin, Grant, Jackson, LaSalle, Lincoln,
 6 Madison, Morehouse, Natchitoches, Ouachita, Rapides, Red River, Richland, Sabine,
 7 Tensas, Union, Vernon, Webster, West Carroll, and Winn.

8 (2) The area now included in the following parishes shall constitute the
 9 South Zone: Acadia, Allen, Ascension, Assumption, Beauregard, Calcasieu,
 10 Cameron, East Baton Rouge, East Feliciana, Evangeline, Iberia, Iberville, Jefferson,
 11 Jefferson Davis, Lafayette, Lafourche, Livingston, Orleans, Plaquemine, Pointe
 12 Coupee, St. Bernard, St. Charles, St. Helena, St. James, St. John the Baptist, St.
 13 Landry, St. Martin, St. Mary, St. Tammany, Tangipahoa, Terrebonne, Vermilion,
 14 Washington, West Baton Rouge, and West Feliciana.

15 (3) The area now included in that area of the Gulf of Mexico defined as
 16 being within two hundred miles of the state of Louisiana shall constitute the Offshore
 17 Zone.

18 C. Definition of zones.

19 (1) For purposes of more precisely defining the Louisiana Coordinate
 20 System of 1927, the following definition by the United States Coast and Geodetic
 21 Survey, now National Ocean Service/National Geodetic Service, ~~was previously~~ is
 22 adopted:

23 ~~(†)~~ (a) The "Louisiana Coordinate System of 1927 North Zone" is a Lambert
 24 conformal conic projection of the Clarke spheroid of 1866, having standard parallels
 25 at north latitudes 31 degrees 10 minutes and 32 degrees 40 minutes, along which
 26 parallels the scale shall be exact. The origin of coordinate is at the intersection of the
 27 meridian 92 degrees 30 minutes west of Greenwich and the parallel 30 degrees 40
 28 minutes north latitude. This origin is given the coordinates: x = 2,000,000' and y =
 29 0', as now defined.

1 ~~(2)~~ (b) The "Louisiana Coordinate System of 1927 South Zone" is a Lambert
 2 conformal conic projection of the Clarke spheroid of 1866, having standard parallels
 3 at north latitudes 29 degrees 18 minutes and 30 degrees 42 minutes, along which
 4 parallels the scale shall be exact. The origin of coordinates is at the intersection of
 5 the meridian 91 degrees 20 minutes west of Greenwich and the parallel 28 degrees
 6 40 minutes north latitude. This origin is given the coordinates: $x = 2,000,000'$ and
 7 $y = 0'$, as now defined.

8 ~~B:~~ (2) For purposes of more precisely defining the Louisiana Coordinate
 9 System of 1983, the following definition by the National Ocean Service/National
 10 Geodetic Service was previously ~~is~~ adopted:

11 ~~(1)~~ (a) The "Louisiana Coordinate System of 1983 North Zone" is a Lambert
 12 conformal conic projection of the North American Datum of 1983, having standard
 13 parallels at north latitudes 31 degrees 10 minutes and 32 degrees 40 minutes, along
 14 which parallels the scale shall be exact. The origin of coordinates is at the
 15 intersection of the meridian 92 degrees 30 minutes west of Greenwich and the
 16 parallel 30 degrees 30 minutes north latitude. This origin is given the coordinates:
 17 $x = 1,000,000$ meters and $y = 0$ meters.

18 ~~(2)~~ (b) The "Louisiana Coordinate System of 1983 South Zone" is a Lambert
 19 conformal conic projection of the North American Datum of 1983, having standard
 20 parallels at north latitudes 29 degrees 18 minutes and 30 degrees 42 minutes along
 21 which parallels the scale shall be exact. The origin of coordinates is at the
 22 intersection of the meridian 91 degrees 20 minutes west of Greenwich and the
 23 parallel 28 degrees 30 minutes north latitude. This origin is given the coordinates:
 24 $x = 1,000,000$ meters and $y = 0$ meters.

25 ~~(3)~~ (c) The "Louisiana Coordinate System of 1983 Offshore Zone" is a
 26 Lambert conformal conic projection of the North American Datum 1983, having
 27 standard parallels at north latitudes 26 degrees 10 minutes and 27 degrees 50
 28 minutes, along which parallels the scale shall be exact. The origin of coordinates is
 29 at the intersection of the meridian 91 degrees 20 minutes west of Greenwich and the

1 parallel 25 degrees 30 minutes north latitude. This origin is given the coordinates:
2 x = 1,000,000 meters and y = 0 meters.

3 §8. Accuracy requirements ~~Distance of boundary points from station~~

4 A. Accuracy requirements for surveys and maps purporting to define the
5 position of a point shall be those expressed in the Standards of Practice for Boundary
6 Surveys promulgated by the Louisiana Professional Engineering and Land Surveying
7 Board or its successor. No survey or map purporting to define the position of a point
8 shall be presented for recordation in any public land records or deed records unless
9 they comply with these accuracy requirements.

10 B. Accuracy requirements for mapping shall be those expressed in the
11 United States National Map Accuracy Standards or its successor unless the project
12 specifically calls for the use of another standard, in which case, the alternative
13 standard shall be clearly stated on the map or document.

14 ~~No coordinate based on either Louisiana Coordinate System, purporting to~~
15 ~~define the position of a point, shall be presented to be recorded in any public land~~
16 ~~records or deed records unless such point is within five kilometers of a monumented~~
17 ~~horizontal control station established in conformity with the standards of accuracy~~
18 ~~and specification for first or second-order geodetic surveying as prepared and~~
19 ~~published by the Federal Geodetic Control Committee (FGCC) of the United States~~
20 ~~Department of Commerce. Standards and Specifications of the FGCC or its~~
21 ~~successors in force on date of said survey shall apply. The publishing of the existing~~
22 ~~control stations, or the acceptance with intent to publish the newly established~~
23 ~~control stations, by the National Ocean Service/National Geodetic Service will~~
24 ~~constitute evidence of adherence to the FGCC Specification. Above limitations may~~
25 ~~be modified by a duly authorized state agency, the Department of Transportation and~~
26 ~~Development, to meet local conditions:~~

1 Section 2. R.S. 50:11 is hereby repealed in its entirety.

SPEAKER OF THE HOUSE OF REPRESENTATIVES

PRESIDENT OF THE SENATE

GOVERNOR OF THE STATE OF LOUISIANA

APPROVED: _____