



STATE OF LOUISIANA

MICHELLE D. FONTENOT
CLERK, HOUSE OF REPRESENTATIVES

POST OFFICE BOX 44281
BATON ROUGE, LOUISIANA 70804-4281
(225) 342-7259

July 21, 2021

CANCELLATION NOTICE OF COMMITTEE MEETING

TO: Members of the Water Sector Commission

FROM: Michelle D. Fontenot
Clerk of the House

RE: Notice of CANCELLATION of interim meeting

The committee of the Water Sector Commission, co-chaired by Representative Jerome "Zee" Zeringue, has been **CANCELLED**:

DATE: Monday, July 26, 2021

TIME: 10:00 a.m.

PLACE: House Committee Room 1

PURPOSE: Consideration of guidance for the Water Sector Program submitted by the division of administration

Consideration of eligible HB 2 water, sewer, and drainage projects

Approval of minutes from June 21, 2021, meeting

Persons who do not feel comfortable giving testimony in person at this time may submit a prepared statement in lieu of appearing before the committee:

A. Any interested person or any committee member may file with the committee a prepared statement concerning a specific instrument or matter under consideration by the committee or concerning any matter within the committee's scope of authority, and the committee records shall reflect receipt of such statement and the date and time thereof.

B. Any person who files a prepared statement which contains data or statistical information shall include in such prepared statement sufficient information to identify the source of the data or statistical information.

For the purposes of this Paragraph, the term "source" shall mean a publication, website, person, or other source from which the data or statistical information contained in the prepared statement was obtained by the person or persons who prepared the statement.

NOTE: Only statements mailed to andressk@legis.la.gov and received prior to noon on Friday, July 23rd, will be included in the record for this committee meeting.

All persons desiring to participate in the meeting shall utilize appropriate protective health measures and observe the recommended and appropriate social distancing.