

1 AMENDMENT NO. 9

2 On page 2, at the beginning of line 5, insert "**paint, dust, and soil**"

3 AMENDMENT NO. 10

4 On page 2, between lines 25 and 26, insert:

5 **"C.(1) If the results of the risk assessment indicate that lead hazards**
6 **were found, the department shall notify the Louisiana Department of Health**
7 **and the state Department of Education. The facility shall not commence**
8 **operations until appropriate lead hazard control methods have been**
9 **implemented and confirmed by the department.**

10 **(2) Once a report documenting the absence of lead hazards, either**
11 **initially or after any known lead hazards have been addressed, is provided to**
12 **the department, the Louisiana Department of Health, and the state Department**
13 **of Education, no further lead hazard testing shall be required for opening by**
14 **such owner, operator, or governing authority. Further lead testing may be**
15 **required if the owner, operator, or governing authority thereafter initiates**
16 **major alterations of the facility through renovation or remodeling. Further**
17 **lead testing may also be required if lead hazards are thereafter found on the**
18 **premises.**

19 **D. The department shall provide a prospective owner, operator, or**
20 **governing authority of an early learning center, a daycare center that is subject**
21 **to federal daycare center licensing requirements, a public prekindergarten**
22 **program that is part of a public elementary school, or an approved nonpublic**
23 **prekindergarten program that is part of an approved nonpublic elementary**
24 **school with a list of persons approved or licensed to conduct the lead testing**
25 **required by this Subsection.**

26 AMENDMENT NO. 11

27 On page 2, at the beginning of line 26, change "C." to "**E.**"

28 AMENDMENT NO. 12

29 On page 2, at the beginning of line 29, change "**D.**" to "**F.**"